

Parental acceptance of human papillomavirus hpv vaccination

by Didik Setiawan

Submission date: 18-Oct-2022 09:14AM (UTC+0700)

Submission ID: 1928275858

File name: Parental_acceptance_of_human_papillomavirus_hpv_vaccination.pdf (658.4K)

Word count: 6433

Character count: 31569

Parental Acceptance of Human Papillomavirus (HPV) Vaccination in Districts with High Prevalence of Cervical Cancer in West Java, Indonesia

Dedy Frianto^{1,2}, Didik Setiawan³, Ajeng Diantini^{1,4}, Auliya A Suwantika^{1,4}

¹Department of Pharmacology and Clinical Pharmacy, Faculty of Pharmacy, Universitas Padjadjaran, Bandung, Indonesia; ²Faculty of Pharmacy, Universitas Buana Perjuangan, Karawang, Indonesia; ³Faculty of Pharmacy, Universitas Muhammadiyah Purwokerto, Purwokerto, Indonesia; ⁴Center of Excellence in Higher Education for Pharmaceutical Care Innovation, Universitas Padjadjaran, Bandung, Indonesia

Correspondence: Auliya A Suwantika, Department of Pharmacology and Clinical Pharmacy, Faculty of Pharmacy, Universitas Padjadjaran, Bandung, Indonesia, Email auliya@unpad.ac.id

Background: Cervical cancer is the second-highest cause of death in women with cancer, which is mostly caused by human papillomavirus (HPV) infection, specifically HPV 16 and 18. Next to Pap smear and visual inspection with acetic acid, HPV vaccination is highly recommended to support preventive measures.

Objective: This study aimed to determine parental acceptance of HPV vaccination in districts with high prevalence of cervical cancer and different levels of household income in West Java, Indonesia by taking several factors into account.

Methods: A questionnaire was delivered to 286 parents who met the major inclusion criteria of having daughters at 5th or 6th grade of elementary schools in three selected districts: Bandung, Purwakarta and Karawang. In particular, logistic regression analysis was applied to investigate the correlation of acceptance towards HPV vaccination with sociodemographic factors.

Results: Respondents in Bandung, Purwakarta and Karawang were willing to pay for HPV vaccine at a price range of US\$ 1.38–20.69, US\$ 0.07–34.48, and US\$ 1.38–6.90, respectively. In addition, respondents' spouse was the key person influencing their decision to vaccinate their children.

Conclusion: Education level and health beliefs toward cervical cancer have significant correlation (p -value <0.05) with acceptance towards HPV vaccination.

Keywords: HPV vaccination, knowledge, health belief, attitude, willingness to pay

26 Introduction

Cervical cancer is one of the diseases with high incidence and economic burden, specifically in low- and middle-income countries, with 527,624 reported new cases.¹ The WHO highlighted the incidence rate of cervical cancer at 13.1/1,000,000 women, which placed cervical cancer in the 4th rank among other cancers.² In 2020, GLOBOCAN mentioned a high prevalence rate of cervical cancer in South East Asia at 51.27 per 100,000 population.³ In Indonesia, the incidence number of cervical cancer was reported to be 36,633 cases with the number of fatal cases at 21,003.⁴ The prevalence of HPV infection among Indonesian women was estimated to be 5.2%.⁵ As the most populous province in Indonesia, the annual number of new cases related to cervical cancer in West Java is more than 200 cases.⁶

Next to Pap smear and visual inspection with acetic acid, HPV vaccination is highly recommended to support preventive measures.⁷ Despite the increasing incidence of cervical cancer in Indonesia, HPV vaccine has not yet been included in the national immunization program. Currently, HPV vaccine in Indonesia is available in the private market at US\$ 52–90 per dose injection.⁵ The government of Indonesia is planning to add HPV vaccination into the national immunization program.⁵ Following the success of a national HPV demonstration program in 2017, the plan to roll out free HPV vaccination will be targeted for girls enrolled in 5th and 6th grades of elementary school.⁵

Learning from the experience of new vaccine introduction in Indonesia, factors associated with public acceptance are critical on the successful implementation of new vaccination, such as issues related to safety and halal status of vaccines.⁸⁻¹¹ This study aimed to determine parental acceptance of HPV vaccination in districts with high prevalence of cervical cancer and different levels of household income in West Java, Indonesia by taking several factors into account (eg, sociodemographic; knowledge of HPV, HPV vaccination and cervical cancer; health beliefs toward cervical cancer; and attitudes towards vaccination).

Methods

Study Design

This study was approved by the Ethics Committee of Universitas Padjadjaran, Indonesia (approval number: 106/UN6.KEP/EC/2019) and conducted in accordance with the Declaration of Helsinki. A cross-sectional design was applied by taking place at one point in time giving a snapshot of the respondents' responses.

Participants

A valid and reliable questionnaire in the Indonesian language from a previous study was delivered to 286 parents who met the major inclusion criteria of having daughters at 5th or 6th grade of elementary schools in Bandung, Purwakarta and Karawang, and had willingness to fill in the questionnaire within six sections.⁹

Survey and Questionnaire

In the first section, respondents were requested to provide their sociodemographic information and answer several general questions. In the second section, respondents were given eight questions to determine their level of knowledge in a maximal score of 8 by considering each question would give 1 and 0 point for the correct and wrong answer, respectively. In third section, respondents were given six questions to find out their general attitude towards vaccines where they can strongly disagree (0), disagree (1), somewhat disagree (2), somewhat agree (3), agree (4) or strongly agree (5) in each question. We applied the traditional way to report on a Likert scale by summing the values of each selected option and creating a score for each respondent with a maximal score of 30 for six questions. In the fourth section, respondents were given four questions to find out their health beliefs about cervical cancer with a maximal score of 9. For the first question, participants could receive 0, 1, 2, 3 or 4 points. For the second and third questions, participants could receive 0 or 1 point. For the fourth question, participants could receive 0, 1, 2, or 3 points. In the last two sections, respondents were requested to answer questions about acceptance towards HPV vaccine and factors that might hinder the vaccination program, respectively.

Statistical Analysis

Descriptive and logistic regression analyses were applied to analyse the results of questionnaire. In particular, logistic regression analysis was applied to investigate the correlation between acceptance towards HPV vaccination with sociodemographic factors, knowledge of HPV, HPV vaccination and cervical cancer; and health beliefs toward cervical cancer. Statistical significance value was considered at p -value <0.05 . Data were analyzed statistically by using SPSS.

Result

General Information

The majority of respondents in all districts were Moslem. Most respondents in Bandung (59%), Purwakarta (35%) and Karawang (79%) graduated from universities, high and elementary schools, respectively. Most respondents had no relatives with cancer, including cervical cancer, and had no relatives who experienced cervical cancer screening. Regarding vaccination, the majority of respondents confirmed that their children have been fully vaccinated for routine immunization programs and they had no experience with side effects of vaccination. The majority of respondents got the information about HPV, cervical cancer and HPV vaccination from television, radio and internet. Approximately 55%, 28%, and 20% respondents in Bandung, Purwakarta and Karawang, respectively, had willingness to vaccinate their children with HPV vaccine (see Table 1).

Table 1 General Information of Respondents

Variables	Bandung (n=51)		Purwakarta (n=127)		Karawang (n=108)	
	n	%	n	%	n	%
Religion						
Moslem	48	94.1	125	98.4	101	93.5
Christian	3	5.9	2	1.6	7	6.5
Others	0	0.0	0	0.0	0	0.0
Level of education						
Elementary School	11	21.6	43	33.9	85	78.7
High School	10	19.6	45	35.4	16	14.8
University	30	58.8	39	30.7	7	6.5
Do you have any relatives with cancer?						
Yes	11	21.6	16	12.6	6	5.6
No	39	76.5	109	85.8	98	90.7
No answer	1	2	2	1.6	4	3.7
Do you have any relatives with cervical cancer?						
Yes	2	3.9	5	3.9	2	1.9
No	48	94.1	120	94.5	102	94.4
No answer	1	2	2	1.6	4	3.7
Do you have any relatives who experienced cervical cancer screening?						
Yes	13	25.5	20	15.7	2	1.9
No	34	66.7	104	81.9	90	83.3
No answer	4	7.8	3	2.4	16	14.8
Have your child been fully vaccinated?						
Yes	40	78.4	95	74.8	69	63.9
No	8	15.7	29	22.8	17	15.7
No answer	3	5.9	3	2.4	22	20.4
Have your child experienced side effects of vaccination?						
Yes	7	13.7	26	20.5	33	30.6
No	39	70.6	94	74	48	44.4
No answer	8	15.7	7	5.5	27	25
How did you get information about HPV, cervical cancer and HPV vaccination?						
Media (eg, television, radio and internet)	47	29.4	117	32.7	86	42.8
Brochures, leaflets and magazines	25	15.6	42	11.7	15	7.5
Public healthcare facilities	8	5	39	10.9	18	9

(Continued)

Table 1 (Continued).

Variables	Bandung (n=51)		Purwakarta (n=127)		Karawang (n=108)	
	n	%	n	%	n	%
Families	14	8.8	21	5.9	17	8.5
Neighbors	18	11.3	30	8.4	17	8.5
Friends	17	10.6	30	8.4	17	8.5
Health Professionals	27	16.9	74	20.7	24	11.9
No answer	2	1.3	1	0.3	7	3.5
Are you willing to vaccinate your child with HPV vaccine?						
Yes	28	54.9	36	28.3	22	20.4
No	23	45.1	91	71.7	86	79.6

Knowledge About HPV, Vaccination and Cervical Cancer

From eight true/false statements, the majority of these statements (87.5%) could be understood correctly by the most of respondents (see Table 2). The only statement that most of the respondents could not understand correctly is the third statement. They did not know that the number of HPV infection in Bandung, Purwakarta and Karawang was considered to be very rare with an annual number of 2–7 new cases.¹²

Attitude Towards Vaccination and Health Beliefs Regarding Cervical Cancer

Regarding respondents' general attitude towards vaccination, the majority of respondents strongly agreed that preventive action is better than treatment (statement 1) and vaccination is good for children's health (statement 3). Most of them also

Table 2 Respondents' Knowledge About HPV, Vaccination and Cervical Cancer

No	General Knowledge of HPV and Cervical Cancer	Bandung (n=51)		Purwakarta (n=127)		Karawang (n=108)	
		n	%	n	%	n	%
1	Someone might be infected by HPV but he/she did not know						
	True	42	82.4	83	65.4	58	53.7
	False	9	17.6	44	34.6	50	46.3
2	HPV can be transmitted sexually from one person to another						
	True	39	76.5	102	80.3	61	56.5
	False	12	23.5	25	19.7	47	43.5
3	HPV infection is very rare						
	True	11	21.6	27	21.3	34	31.5
	False	40	78.4	100	78.7	74	68.5
4	Vaccination is a way to prevent HPV infection						
	True	44	86.3	108	85	57	52.8
	False	7	13.7	19	15	51	47.2

(Continued)

Table 2 (Continued).

No	General Knowledge of HPV and Cervical Cancer	Bandung (n=51)		Purwakarta (n=127)		Karawang (n=108)	
		n	%	n	%	n	%
5	HPV infection can cause cervical cancer						
	True	37	72.5	100	78.7	52	48.1
	False	14	27.5	27	21.3	56	51.9
6	Screening can be conducted to detect cervical cancer						
	True	41	80.4	95	74.8	52	48.1
	False	10	19.6	32	25.2	56	51.9
7	Cervical cancer can be cured, specifically when it is detected in the early stages						
	True	42	82.4	105	82.7	74	68.5
	False	9	17.6	22	17.3	34	31.5
8	Cervical cancer is in the top 3 of cancers affecting Indonesian women						
	True	42	82.4	102	80.3	70	64.8
	False	9	17.6	25	19.7	38	35.2

agreed that vaccination is effective to prevent disease (statement 2). The majority of respondents in Bandung somewhat agreed that feeling worried about vaccine's side effects (statement 4) and most of respondents in Purwakarta and Karawang agreed. In particular, the majority of respondents disagreed that vaccines are administered to prevent very severe disease (statement 5). Regarding the last statement, most of respondents in Bandung agreed that vaccines are administered to prevent sexually transmitted diseases and most of respondents in Purwakarta and Karawang strongly agreed (see Table 3). In the context of respondents' health beliefs regarding cervical cancer, most respondents agreed that cervical cancer is a dangerous disease and can cause physical problems and stress. Most of respondents also felt very worried if their children had cervical cancer (see Table 4).

Table 3 General Attitude Towards Vaccination

Statement	Bandung (%)						Purwakarta (%)						Karawang (%)					
	0	1	2	3	4	5	0	1	2	3	4	5	0	1	2	3	4	5
Prevention is better than treatment	–	2	–	–	20	78	–	–	–	–	11	89	1	–	–	–	20	79
Vaccination is effective to prevent disease	–	4	–	2	57	37	1	1	1	5	47	45	1	0	0	2	53	44
Vaccination is good for children's health	–	2	–	–	51	47	3	–	2	6	37	52	3	1	0	2	36	58
I am worried about vaccine's side effects	10	27	16	29	14	4	6	17	5	15	43	14	6	13	1	17	40	23
Vaccines are administered to prevent very severe disease	13	51	12	8	12	4	17	50	2	6	17	8	9	44	10	2	19	15
Vaccines are administered to prevent sexually transmitted diseases	–	4	0	4	51	41	4	2	2	3	37	52	10	6	4	7	29	44

Notes: 0=strongly disagree (SDA); 1=disagree (DA); 2=somewhat disagree (SWD); 3=somewhat agree (SWA); 4=agree (A); and 5=strongly agree (SA).

Table 4 Health Beliefs Regarding Cervical Cancer

No	Questions	Bandung		Purwakarta		Karawang	
		n	%	n	%	n	%
1	Do you agree that cervical cancer is a dangerous disease?						
	Strongly agree	0	0	1	0.8	1	0.9
	Agree	0	0	0	0	1	0.9
	Disagree	12	23.5	18	14.2	42	38.9
	Strongly disagree	39	76.5	108	85	63	58.4
	No answer	0	0	0	0	1	0.9
2	Can cervical cancer cause physical problems?						
	Yes	50	98	123	96.9	97	89.8
	No	1	2	4	3.1	11	10.2
3	Can cervical cancer cause stress?						
	Yes	48	94.1	124	97.6	94	87
	No	3	5.9	3	2.4	14	13
4	Do you feel worried if your children have cervical cancer						
	Very worried	32	62.7	108	85	83	76.85
	Worried	19	37.3	16	12.6	22	20.37
	Unworried	0	0	1	0.8	0	0
	No answer	0	0	2	1.6	3	2.78

Decision-Making Process

Table 5 illustrates information about respondents' decision-making process related to HPV vaccination. Respondents were willing to vaccinate their children with HPV vaccine since HPV vaccine is the best way to protect girls from cervical cancer. On the other hand, they were not willing to vaccinate their children with HPV vaccine because of the

Table 5 Respondent's Decision-Making Process Related to HPV Vaccination

Questions	Bandung		Purwakarta		Karawang	
	n	%	n	%	n	%
If you are willing to vaccinate your child with HPV vaccine, what is your main reason?						
I believe that HPV vaccine is important	25	24.8	73	31.3	65	25.6
HPV vaccine is the best way to protect girls from cervical cancer	44	43.6	102	43.8	76	29.9
I believe that HPV vaccine is effective	23	22.8	31	13.3	75	29.5
HPV vaccine is affordable for me	8	7.9	18	7.7	28	11
No answer	1	1	9	3.9	10	3.9

(Continued)

Table 5 (Continued).

Questions	Bandung		Purwakarta		Karawang	
	n	%	n	%	n	%
If you are not willing to vaccinate your child with HPV vaccine, what is your main reason?						
The price of HPV vaccine is expensive	36	34.6	36	34.6	58	23.6
HPV infection is a sexually transmitted disease	8	7.7	8	7.7	32	13
Limited information about cervical cancer and HPV vaccine	20	19.2	20	19.2	42	17.1
Worried about HPV vaccine's side effects	14	13.5	14	13.5	36	14.6
Limited information about HPV	20	19.2	20	19.2	42	17.1
No reason	2	1.9	2	1.9	24	9.8
No answer	4	3.8	4	3.8	12	4.9
Who can influence you on making decision related to HPV vaccination?						
My child	9	14.1	8	5.5	1	0.8
My spouse	18	28.1	51	35.2	56	47.5
Other families	0	0	1	0.7	0	0
Health professionals	11	17.2	49	33.8	25	21.2
No one	4	6.3	24	16.6	12	10.2
No answer	4	6.3	12	8.3	24	20.3
Does religion give impact on your decision-making process related to HPV vaccination?						
Yes	22	43.1	56	44.1	27	25
No	28	54.9	67	52.8	75	69.4
No answer	1	2	4	3.1	6	5.6
Which impact does religion give on your decision-making process related to HPV vaccination?						
Positive impact	20	39.2	44	34.6	37	34.3
Negative impact	9	17.6	27	21.3	18	16.7
No answer	22	43.1	56	44.1	53	49.1
Are you able to pay for HPV vaccines?						
Yes	27	52.9	29	22.9	9	8.4
No	19	37.3	84	66.1	82	75.9
No answer	5	9.8	14	11	17	15.7
Are you willing to pay for HPV vaccine?						
Yes	30	58.8	32	25.2	9	8.3
No	14	27.5	81	63.8	78	72.2
No answer	7	13.7	14	11	21	19.5

(Continued)

Table 5 (Continued).

Questions	Bandung		Purwakarta		Karawang	
	n	%	n	%	n	%
How much are you willing to pay for HPV vaccine?	IDR 20,000–300,000		IDR 1000–500,000		IDR 20,000–100,000	
Do you think it is necessary for the government to include HPV vaccine into routine immunization program?						
Yes	47	92.2	116	91.3	95	88
No	0	0	2	1.6	8	7.4
No answer	4	7.8	9	7.1	5	4.6
Do you think HPV vaccine is safe?						
Safe	31	60.8	74	58.3	69	63.9
Neutral	13	25.5	45	35.4	33	30.6
Not safe	0	0	1	0.8	2	1.9
No answer	7	13.7	7	5.5	4	3.7
Do you think HPV vaccine is effective?						
Yes	34	66.7	76	59.8	71	65.7
No	3	5.9	18	14.2	9	8.3
Do not know	9	17.6	25	19.7	19	17.6
No answer	5	9.8	8	6.3	9	8.3
Who should be responsible for paying HPV vaccination?						
Parents	7	10.9	9	6.2	5	4.6
Government	20	31.3	73	50	74	68.5
Health insurance (BPJS Kesehatan)	14	21.9	42	28.8	20	18.5
Cost sharing between parents and government	16	25	15	10.3	2	1.9
No answer	7	10.9	7	4.8	7	6.5
Where is your preferable location for HPV vaccination?						
Private doctor	4	6.3	10	6.9	0	0
Public healthcare center	13	20.6	37	25.5	55	49.1
Hospital	13	20.6	44	30.3	18	16.1
School	10	15.9	34	23.4	25	22.3
Others	2	3.2	16	11	9	8
No answer	21	33.3	4	2.8	5	4.5

price of HPV vaccine. Additionally, respondents' spouse was the key person influencing their decision to vaccinate their children. The majority of respondents confirmed that religion did not give impact on their decision-making process. Most of them were able and willing to pay for HPV vaccine. Respondents in Bandung, Purwakarta and Karawang were willing to pay for HPV vaccine at a price range of US\$ 1.38–20.69, US\$ 0.07–34.48, and US\$ 1.38–6.90, respectively. The majority of respondents confirmed that HPV vaccine is safe and effective, so it is necessary for the government to include

Table 6 Logistic Regression Analysis

Variable	n (%)	Odd Ratio	CI 95%	p-value
Religion		1.56	0.36–6.88	0.55
Islam	274 (95.8%)			
Christian	0 (0.0%)			
Protestant	12 (4.2%)			
Hindu	0 (0.0%)			
Buddha	0 (0.0%)			
Education Level		2.19	1.49–3.22	0.00*
Elementary School	139 (48.6%)			
High School	71 (24.6%)			
University	76 (26.6%)			
Income Level		1.22	0.69–2.24	0.52
In favor of HPV vaccination	IDR 3,398,719±1,284,741			
Against HPV vaccination	IDR 4,227,885±2,628,069			
Knowledge Level		0.96	0.84–1.10	0.56
In favor of HPV vaccination	5.07±2.47			
Against HPV vaccination	5.45±2.18			
Attitude Level		1.04	0.96–1.13	0.36
In favor of HPV vaccination	28.49±4.28			
Against HPV vaccination	28.59±2.64			
Health Belief Level		1.71	0.05–2.80	0.03*
In favor of HPV vaccination	6.68±0.83			
Against HPV vaccination	7.04±0.71			

Note: *Significant.

HPV vaccine into routine immunization program. In addition, they also confirmed that government should be responsible for paying HPV vaccination and their preferable places for HPV vaccination are hospitals and public healthcare centers.

Logistic Regression Analysis

Logistic regression analysis was applied to investigate the correlation between acceptance towards HPV vaccination with religion, education level, income, knowledge of HPV, HPV vaccination and cervical cancer, and health beliefs toward cervical cancer. Applying two levels of acceptance towards HPV vaccination (in favor of and against HPV vaccination), the results showed that education level and health beliefs toward cervical cancer have significant correlation (p -value < 0.05) with acceptance towards HPV vaccination (see Table 6).

Discussion

From 286 respondents who met the major inclusion criteria, most of respondents in Bandung, Purwakarta and Karawang graduated from universities, high and elementary schools, respectively. This proportion is linear with the education level of total population in these selected districts, as reported by Statistics of West Java in 2017–2019.¹³ Most respondents

had no relatives who experienced cervical cancer screening. Up to now, cervical cancer screening remains uncommon in Indonesia and the refusal rate is relatively high. A previous study reported that almost 50% of women in East Java, Indonesia refused to be screened for cervical cancer.¹⁴ In addition, the majority of respondents confirmed that their children have been fully vaccinated for routine immunization programs. This finding is linear with the result of Basic Health Research in 2018, which confirmed the coverage of complete basic immunization for children in Indonesia at 58%.¹⁵ Most respondents also confirmed that their children have not experienced side effects of vaccination, which is similar with the results of a previous study in Central Java, Indonesia.¹⁶

Despite the majority of statements related to the knowledge about HPV, vaccination and cervical cancer could be understood correctly by the most of respondents, most of respondents did not know the fact that the number of HPV infection in Bandung, Purwakarta and Karawang is considered to be relatively low with an annual number of 2–7 new cases,¹² compared with the prevalence of HPV infection among Indonesian women at 5.2% and total HPV infection in West Java at 15,635 cases.^{5,17} Another previous study also reported the low awareness level of Indonesian women regarding cervical cancer issues in social media, including the annual incidence of cervical cancer.¹⁸ Furthermore, the majority of respondents strongly agreed that preventive action is better than treatment and vaccination is good for children's health. These findings strengthen the results of two other previous studies. Using the COVID-19 pandemic as a reference case, more Indonesian people realized that preventing diseases are more important than treating diseases.¹⁹ A previous study that focused in South East Asia countries also highlighted that knowledge level about HPV vaccine and free of charge for HPV vaccine are two critical factors in parental acceptance of HPV vaccine in this region.²⁰ Additionally, most of respondents in this study strongly agreed and agreed that vaccines are administered to prevent sexually transmitted diseases. This finding is linear with the result of a previous study in Riau, Indonesia, which confirmed that sexual transmission was the major factor affecting the incidence of cervical cancer in Indonesia.²¹

With respect to health beliefs regarding cervical cancer, most of respondents agreed that cervical cancer is a dangerous disease and can cause physical problems and stress. These results reconfirmed the finding of a previous study in Bali, which highlighted that cervical cancer is one of the infectious and non-infectious diseases impacting the highest epidemiology and economic burden.²² In particular, respondents were willing to vaccinate their children with HPV vaccine since HPV vaccine is the best way to protect girls from cervical cancer. On the other hand, they were not willing to vaccinate their children with HPV vaccine because of the price of HPV vaccine. These findings strengthen the results of previous studies in Indonesia. Two previous cost-effectiveness studies of HPV vaccination in Indonesia concluded that nationwide vaccination was considered to be cost-effective or even cost-saving.^{7,23} Another study by Wijayanti et al also concluded that free of charge for HPV vaccine would increase level of parental acceptance in Indonesia.²⁰ Moreover, this study found that respondents' spouse was the key person influencing their decision to vaccinate their children, which is linear with a previous study in Mali that identified respondents' husbands as primary decisions makers.²⁴ The majority of respondents in this study also confirmed that religion did not give impact on their decision-making process, which is similar with a previous study that confirmed no correlation between religiosity and vaccination status.²⁵

Even though this study has several major findings, it also has several limitations. The major limitation is related to geographical setting. Given limited resources, this study was focused in Bandung, Purwakarta and Karawang, which aimed to investigate the parental willingness to pay for HPV vaccine in three districts with different levels of household income. This study found that respondents in Bandung, Purwakarta and Karawang were willing to pay for HPV vaccine at a price range of US\$ 1.38–20.69, US\$ 0.07–34.48, and US\$ 1.38–6.90, respectively. The result in Purwakarta confirmed a very huge range of willingness to pay for HPV vaccine at US\$ 0.07–34.48. This situation might be caused by the highest income inequality between three selected districts was found in Purwakarta, as reported in Gini coefficient data.²⁶ Nevertheless, the majority of respondents confirmed that government should be responsible for paying HPV vaccination. Another limitation is the potential missing factors in the logistic regression that could have confounded the results.

In particular, this study concluded that education level and health beliefs toward cervical cancer have significant correlation (p -value <0.05) with acceptance towards HPV vaccination. These findings are similar with the results of two previous studies. A study in Korea highlighted multiple dimensions of health beliefs showed differing impacts on vaccine

acceptance.²⁷ Several previous studies also confirmed that parents' education was associated with the acceptance of HPV vaccine in several countries.^{28–30}

To our knowledge, this is the first study to investigate parental acceptance of HPV vaccination in districts with high prevalence of cervical cancer and different levels of household income in Indonesia. Our findings confirmed that education level and health beliefs toward cervical cancer have significant correlation with acceptance towards HPV vaccination. Dealing with the cost barrier and improving awareness about HPV might improve parental acceptance and vaccination rate.³¹ Hopefully, this study can assist the stakeholder in increasing parental acceptance towards HPV vaccination in Indonesia, specifically in West Java as the most populous province in Indonesia with high prevalence of cervical cancer, by taking these two critical factors into account.

Conclusion

Respondents in Bandung, Purwakarta and Karawang were willing to pay for HPV vaccine at a price range of US\$ 1.38–20.69, US\$ 0.07–34.48, and US\$ 1.38–6.90, respectively. In addition, respondents' spouse was the key person influencing their decision to vaccinate their children. To conclude, education level and health beliefs toward cervical cancer have significant correlation (p -value 0.05) with acceptance towards HPV vaccination. Several comprehensive approaches can be applied to increase parental acceptance towards HPV vaccination in Indonesia by taking education level and health beliefs.

Acknowledgment

This research was funded by Universitas Buana Perjuangan and Universitas Padjadjaran (Grant number: 1959/UN6.3.1/PT.00/2021) through DF and AD, respectively.

Disclosure

The authors report no conflicts of interest in this work.

References

1. Shrestha AD, Neupane D, Vedsted P, Kallestrup P. Cervical cancer prevalence, incidence and mortality in low and middle income countries: a systematic review. *Asian Pac J Cancer Prev*. 2018;19(2):319–324. doi:10.22034/APJCP.2018.19.2.319
2. Arbyn M, Weiderpass E, Bruni L, et al. Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis. *Lancet Glob Health*. 2020;8(2):e191–e203. doi:10.1016/S2214-109X(19)30482-6
3. Global Cancer Observatory. South-Eastern Asia: incidence, mortality and prevalence by cancer site. Available from: <https://gco.iarc.fr/today/data/factsheets/populations/920-south-eastern-asia-fact-sheets.pdf>. Accessed September 21, 2022.
4. Global Cancer Observatory. Indonesia: incidence, mortality and prevalence by cancer site. Available from: <https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf>. Accessed September 21, 2022.
5. Winarto H, Habiburrahman M, Dorothea M, et al. Knowledge, attitudes, and practices among Indonesian urban communities regarding HPV infection, cervical cancer, and HPV vaccination. *PLoS One*. 2022;17(5):e0266139. doi:10.1371/journal.pone.0266139
6. Province of West Java. Early detection to prevent cancer. Available from: <https://jabarprov.go.id/index.php/news/36363/2020/02/04/Deteksi-Dini-Demi-Cegah-Kanker>. Accessed September 21, 2022.
7. Setiawan D, Dolk FC, Suwantika AA, Westra TA, Wilschut JC, Postma MJ. Cost-utility analysis of human papillomavirus vaccination and cervical screening on cervical cancer patient in Indonesia. *Value Health Reg Issues*. 2016;9:84–92. doi:10.1016/j.vhri.2015.10.010
8. Fonjongo F, Banerjee D, Abdulah R, et al. Sustainable financing for new vaccines in Indonesia: challenges and strategies. *Sustainability*. 2020;12(21):9265. doi:10.3390/su12219265
9. Jaspers L, Budiningsih S, Wolterbeek R, Henderson FC, Peters AA. Parental acceptance of human papillomavirus (HPV) vaccination in Indonesia: a cross-sectional study. *Vaccine*. 2011;29(44):7785–7793. doi:10.1016/j.vaccine.2011.07.107
10. Lou J, Kc S, Toh KY, et al. Real-world data for health technology assessment for reimbursement decisions in Asia: current landscape and a way forward. *Int J Technol Assess Health Care*. 2020;36(5):474–480. doi:10.1017/S0266462320000628
11. Suwantika AA, Postma MJ. Expanding access to non-traditional vaccines: a perspective from Indonesia. *Expert Rev Vaccines*. 2014;13(12):1419–1421. doi:10.1586/14760584.2014.944165
12. Open Data of West Java. Suspected women with cervical cancer in West Java. Available from: <https://opendata.jabarprov.go.id/id/dataset/jumlah-perempuan-usia-30-50-tahun-yang-dicurigai-kanker-leher-rahim-dan-payudara-berdasarkan-kabupatenkota-di-jawa-barat>. Accessed September 21, 2022.
13. Statistics of West Java. Number of population in West Java. Available from: <http://jabar.bps.go.id/subyek/jumlah-penduduk-kabupatenkota-di-jawa-barat-2004-2012>. Accessed September 21, 2022.
14. Anwar SL, Tampubolon G, Van Hemelrijck M, Hutajulu SH, Watkins J, Wulaningsih W; PILAR Research Network. Determinants of cancer screening awareness and participation among Indonesian women. *BMC Cancer*. 2018;18(1):208. doi:10.1186/s12885-018-4125-z

15. Ministry of Health, Republic of Indonesia. Basic Health Research 2018. Available from: https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-risikesdas-2018_1274.pdf. Accessed September 21, 2022.
16. Jurnal Ilmiah Farmasi. An overview of MR vaccine' side effects in children under five years old in Bulakpuren. Available from: <http://eprints.poltektegal.ac.id/135/2/jurnal%20kti%20Dev%20Ratnasari.pdf>. Accessed September 21, 2022.
17. Larasati L, Afyanti Y, Rahmah H, Milanti A. Women's knowledge, beliefs, and behaviors toward the prevention of human papillomavirus transmission. *Enfermeria Clinica*. 2018;28(Supplement 1):191–194. doi:10.1016/S1130-8621(18)30065-2
18. Rachmawati RP, Herieningsih S. Correlation between social media exposure and perception of vulnerability with adolescent girls' interest in cervical cancer screening in Semarang City. *Interaksi Online*. 2018;6(2):134–143.
19. Zendrato W. Prevention is better than treatment: a campaign during the COVID-19 pandemic. *J Educ Dev*. 2020;8(2):242.
20. Wijayanti KE, Schütze H, MacPhail C, Braunack-Mayer A. Parents' knowledge, beliefs, acceptance and uptake of the HPV vaccine in members of The Association of Southeast Asian Nations (ASEAN): a systematic review of quantitative and qualitative studies. *Vaccine*. 2021;39(17):2335–2343. doi:10.1016/j.vaccine.2021.03.049
21. Lismaniar D, Wulan WS, Wardani SW, Purba CVG, Abidin AR. Risk factors associated with cervical cancer incidence at Arifin Achmad Regional Hospital, Riau Province in 2020. *Public Health Media*. 2021;1:1023–1042.
22. Simarmata OS, Lolong DB, Pangaribuan L, Sulistiyowati N, Sulistiwati E. Pattern of cause of death in Gianyar District 2010–2012. *Bulletin Health Res*. 2018;46(2):77–86.
23. Setiawan D, Andrijono Hadinegoro SR, Meyta H, et al. Cervical cancer prevention in Indonesia: an updated clinical impact, cost-effectiveness and budget impact analysis. *PLoS One*. 2020;15(3):e0230359. doi:10.1371/journal.pone.0230359
24. De Groot AS, Tounkara K, Rochas M, et al. Knowledge, attitudes, practices and willingness to vaccinate in preparation for the introduction of HPV vaccines in Bamako, Mali. *PLoS One*. 2017;12(2):e0171631. doi:10.1371/journal.pone.0171631
25. Reynolds D. Religiosity and parental acceptance of human papillomavirus (HPV) vaccine in 9–18 year-old girls. *J Christ Nurs*. 2014;31(3):172–177. doi:10.1097/CNJ.0000000000000076
26. Statistics of West Java. Gini Ratio in 2019–2021. Available from: <https://jabar.bps.go.id/indicator/23/41/1/gini-rasio-kabupaten-kota.html>. Accessed September 21, 2022.
27. Kim J. The relationship of health beliefs with information sources and HPV vaccine acceptance among young adults in Korea. *Int J Environ Res Public Health*. 2018;15(4):673. doi:10.3390/ijerph15040673
28. Gomes JM, Silva BM, Santos EFS, et al. Human Papillomavirus (HPV) and the quadrivalent HPV Vaccine among Brazilian adolescents and parents: factors associated with and divergences in knowledge and acceptance. *PLoS One*. 2020;15(11):e0241674. doi:10.1371/journal.pone.0241674
29. Rabiu KA, Alausa TG, Akinlusi FM, Davies NO, Shittu KA, Akinola OI. Parental acceptance of human papillomavirus vaccination for adolescent girls in Lagos, Nigeria. *J Family Med Prim Care*. 2020;9(6):2950–2957. doi:10.4103/jfmpe.jfmpe_102_20
30. Sitaresmi MN, Rozanti NM, Simangunsong LB, Wahab A. Improvement of Parent's awareness, knowledge, perception, and acceptability of human papillomavirus vaccination after a structured-educational intervention. *BMC Public Health*. 2020;20(1):1836. doi:10.1186/s12889-020-09962-1
31. Abi Jaoude J, Saad H, Farha L, et al. Barriers, attitudes and clinical approach of lebanese physicians towards HPV vaccination; a cross-sectional study. *Asian Pac J Cancer Prev*. 2019;20(10):3181–3187. doi:10.31557/APJCP.2019.20.10.3181

Patient Preference and Adherence

Dovepress

Publish your work in this journal

Patient Preference and Adherence is an international, peer-reviewed, open access journal that focusing on the growing importance of patient preference and adherence throughout the therapeutic continuum. Patient satisfaction, acceptability, quality of life, compliance, persistence and their role in developing new therapeutic modalities and compounds to optimize clinical outcomes for existing disease states are major areas of interest for the journal. This journal has been accepted for indexing on PubMed Central. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/patient-preference-and-adherence-journal>

Parental acceptance of human papillomavirus hpv vaccination

ORIGINALITY REPORT

17%

SIMILARITY INDEX

11%

INTERNET SOURCES

15%

PUBLICATIONS

8%

STUDENT PAPERS

PRIMARY SOURCES

1	ora.ox.ac.uk Internet Source	3%
2	medworm.com Internet Source	1%
3	www.plosntds.org Internet Source	1%
4	Madan Khatiwada, Cissy Kartasasmita, Henny Suzana Mediani, Christine Delprat, Guido Van Hal, Carine Dochez. "Knowledge, Attitude and Acceptability of the Human Papilloma Virus Vaccine and Vaccination Among University Students in Indonesia", <i>Frontiers in Public Health</i> , 2021 Publication	1%
5	www.diva-portal.org Internet Source	1%
6	pubmed.ncbi.nlm.nih.gov Internet Source	1%
7	Submitted to Universiti Teknologi MARA Student Paper	1%

8	Auliya Abdurrohimi Suwantika, Woro Supadmi, Mohammad Ali, Rizky Abdulah. "Cost-effectiveness and budget impact analyses of dengue vaccination in Indonesia", PLOS Neglected Tropical Diseases, 2021 Publication	1 %
9	essentials.ebsco.com Internet Source	<1 %
10	"Scientific Abstracts", Reproductive Sciences, 2012. Publication	<1 %
11	Submitted to South Bank University Student Paper	<1 %
12	eprints.qut.edu.au Internet Source	<1 %
13	Sofa D. Alfian, Nurul Annisa, Fajriansyah Fajriansyah, Dyah A. Perwitasari, Rizky Abdulah, Eelko Hak, Petra Denig. "Modifiable Factors Associated with Non-adherence to Antihypertensive or Antihyperlipidemic Drugs Are Dissimilar: a Multicenter Study Among Patients with Diabetes in Indonesia", Journal of General Internal Medicine, 2020 Publication	<1 %
14	Submitted to University of Newcastle upon Tyne Student Paper	<1 %

15 Hariyono Winarto, Muhammad Habiburrahman, Maya Dorothea, Andrew Wijaya et al. "Knowledge, attitudes, and practices among Indonesian urban communities regarding HPV infection, cervical cancer, and HPV vaccination", PLOS ONE, 2022
Publication <1 %

16 Submitted to Universitas Andalas
Student Paper <1 %

17 worldwidescience.org
Internet Source <1 %

18 Akhmad Priyadi, Hikmat Permana, Ahmad Muhtadi, Sri A. Sumiwi, Rano K. Sinuraya, Auliya A. Suwantika. "Cost-Effectiveness Analysis of Type 2 Diabetes Mellitus (T2DM) Treatment in Patients with Complications of Kidney and Peripheral Vascular Diseases in Indonesia", Healthcare, 2021
Publication <1 %

19 Submitted to Southern Nazarene University
Student Paper <1 %

20 academic.oup.com
Internet Source <1 %

21 Yilma Markos Larebo, Legesse Tesfaye Elilo, Desta Erkalo Abame, Denebo Ersulo Akiso et al. "Awareness, Acceptance and Associated <1 %

Factors of Human Papillomavirus Vaccine Among Parents of Daughters in Hadiya Zone, Southern Ethiopia: A Cross-Sectional Study", Cold Spring Harbor Laboratory, 2022

Publication

22

"Abstract", Pharmacoepidemiology and Drug Safety, 2016

Publication

<1 %

23

Submitted to Universitas Airlangga

Student Paper

<1 %

24

mdpi-res.com

Internet Source

<1 %

25

Submitted to Charles Darwin University

Student Paper

<1 %

26

Kurnia Eka Wijayanti, Heike Schütze, Catherine MacPhail, Annette Braunack-Mayer. "Parents' knowledge, beliefs, acceptance and uptake of the HPV vaccine in members of The Association of Southeast Asian Nations (ASEAN): A systematic review of quantitative and qualitative studies", Vaccine, 2021

Publication

<1 %

27

Huachun Zou, Xiaojun Meng, Tianjian Jia, Chen Zhu, Xin Chen, Xiaolin Li, Junjie Xu, Wei Ma, Xuan Zhang. "Awareness and acceptance of human papillomavirus (HPV) vaccination among males attending a major sexual health

<1 %

clinic in Wuxi, China: A cross-sectional study",
Human Vaccines & Immunotherapeutics, 2015

Publication

28

Moslem Taheri Soodejani, Hossein Mirzaei,
Marzieh Mahmoodi Manesh, Seyyed
Mohammad Tabatabaei, Azimeh Ghaderi.
"Incidence of Colorectal Cancer and
Adenomatous Polyps After a Two-Step
Screening in Isfahan Province, Iran in 2018",
Journal of Gastrointestinal Cancer, 2019

Publication

<1 %

29

Oscar Del Moral-Hernández, Daniel
Hernández-Sotelo, Luz del Carmen Alarcón-
Romero, Miguel Angel Mendoza-Catalán et al.
"TOP2A/MCM2, p16INK4a, and cyclin E1
expression in liquid-based cytology: a
biomarkers panel for progression risk of
cervical premalignant lesions", BMC Cancer,
2021

Publication

<1 %

30

www.frontiersin.org

Internet Source

<1 %

31

Mei Neni Sitaresmi, Nisrina Maulida Rozanti,
Lamria Besty, Abdul Wahab. "Improvement of
Parent's Awareness, Knowledge, Perception,
and Acceptability of Human Papillomavirus
Vaccination After a Structured-educational
Intervention", Research Square, 2020

<1 %

32

Tana Chongsuwat, Aaliyah O Ibrahim, Ann E Evensen, James H Conway, Margaret Zwick, William Oloya. "Health facility assessments of cervical cancer prevention, screening, and treatment services in Gulu, Uganda", Cold Spring Harbor Laboratory, 2022

Publication

<1 %

33

Submitted to University of Edinburgh

Student Paper

<1 %

34

jfmipc.com

Internet Source

<1 %

35

zenodo.org

Internet Source

<1 %

36

Maria Grandahl, Seung Chun Paek, Siriwan Grisurapong, Penchan Sherer, Tanja Tydén, Pranee Lundberg. "Parents' knowledge, beliefs, and acceptance of the HPV vaccination in relation to their socio-demographics and religious beliefs: A cross-sectional study in Thailand", PLOS ONE, 2018

Publication

<1 %

37

Tsegaw Biyazin, Aynalem Yetwale, Belete Fenta. "Willingness to accept human papillomavirus vaccination in Jimma town, Ethiopia", Human Vaccines & Immunotherapeutics, 2022

<1 %

38

Chung-Yuan Lee, Shun-Fa Yang, Po-Hui Wang, Chun-Wen Su, Hua-Fen Hsu, Hsiu-Ting Tsai, Yi-Hsuan Hsiao. " Antimetastatic effects of leaf extracts on cervical cancer through the inhibition of matrix metalloprotein-9 and MAPK pathway ", Environmental Toxicology, 2018

Publication

<1 %

39

Saule Balmagambetova, Arip Koyshybaev, Kanshaiym Sakiyeva, Olzhas Urazayev, Elnara Ismagulova. "Chapter 7 Results of a Survey Concerning Cervical Cancer Risk Factors among Women in Western Kazakhstan", IntechOpen, 2019

Publication

<1 %

Exclude quotes Off

Exclude matches Off

Exclude bibliography On